

# BATTISTA STANCHION

# SPECIFICATION

# Range: BATTISTA

### Design: Michele De Lucchi con Sezgin Aksu

Codes: 1670-GAN, 1670-GABL, 1675-GAN, 1675-GABL, 1677-N, 5100/92-C, 5101/92-C, 5104/92-C, 5105/92-C, 5108/93-C, 5109/93-C, 5195/92-C, 5100/88-C, 5101/88-C, 5104/88-C, 5105/88-C, 5108/89-C, 5109/89-C, 5100/88-CB, 5101/88-CB, 5104/88-CB, 5105/88-CB, 5108/89-CB, 5109/89-CB, 5195/88-C, 5195/88-CB

# Codes: 1670-GAN, 1670-GABL

Dimension: base: Ø 32 cm - H 100 cm colonna: Ø 3,2 cm (parte inferiore) - Ø 7 cm (parte superiore)

Description: our-way stanchion with retractable tape consisting of a 7.5 kg circular shaped, hollow centre silver grey epoxy-powder coated cast iron base. The column is made in tubular steel tapered (from 32 mm to 70 mm diameter) at the top to hold the retractable tape mechanism, complete with top cap in high-tech polymer. Blue or black retractable tape with a maximum length of 2600 mm, fitted with a retractable mechanism and high-tech polymer end fitting to connect it to another stanchion and/ or wall (code 1677- N). The stanchions can be fitted by using supports with a series of displays and brochure holders from the Koala sign and communication line. The supports are composed of a metal grey epoxy powder-coated steel cross, fixed by a zinc-plated steel M8 screw and a chrome-plated steel spacer to the silver grey painted high-tech polymer coupling fixture that slots into the top of the stanchion.

#### Codes: 1670-IGAN, 1670-IGABL

Dimension: base: Ø 35 cm - H 94 cm colonna: Ø 3,2 cm (parte inferiore) - Ø 7 cm (parte superiore)


Description: our-way stanchion with retractable tape is supported by a steel base (Ø 350 mm thickness 10 mm) covered in stainless steel equipped with a chromed zamak ring which locks the rod and floor-protecting feet. The column is made in tubular steel tape-red (from 32 mm to 70 mm diameter) at the top to hold the retractable tape mechanism, complete with top cap in high-tech polymer. Blue or black retractable tape with a maximum length of 2600 mm, fitted with a retractable mechanism and high-tech polymer end fitting to connect it to another stanchion and/or wall (code 1677- N). The stanchions can be fitted by using supports with a series of displays and brochure holders from the Koala sign and communication line.

The supports are composed of a metal grey epoxy powder-coated steel cross, fixed by a zinc-plated steel M8 screw and a chrome-plated steel spacer to the silver grey painted high-tech polymer coupling fixture that slots into the top of the stanchion.
















XX = variante colore

Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures are purely as an indication.

#### Codes: 1675-GAN, 1675-GABL

#### Dimension: Ø7 cm - H 12 cm

Description: Description: wall-mounting fixture containing the retractable tape mechanism, made in silver grey epoxy powder-coated steel, with high-tech polymer top cap and fastening plate with 4 holes. Blue or black retractable tape with a maximum length of 2600 mm, fitted with a retractable mechanism and high-tech polymer end fitting to connect it to another stanchion and/or wall (code 1677-N).

Codes: 1677-N

Dimension: 2 cm - H 9,5 cm

Description: simple wall-mounting fixture made in black high-tech polymer to hook the retractable tape.

### Codes: 5100/92-E, 5101/92-E, 5104/92-E, 5105/92-E, 5108/93-E, 5109/93-E

Description: display units with inclined supports for stanchion codes 1670-GAN, 1670-GABL, 1670-IGAN, 1670-IGABL.

Inclined supports for A4/A5 or A3 formats made from silver grey epoxy powder-coated steel, fixed by a zinc-plated steel M8 screw and a chrome-plated steel spacer to the silver grey painted high-tech polymer coupling fixture that slots into the top of the stanchion (code 1670-GAN, 1670-GABL, 1670-IGAN, 1670-IGABL).

Display units made from silver-grey epoxy-powder coated steel sheet, with a concave curved shape, folded at the sides to form two side guides inside which a sheet of flexible and transparent PET is slotted to protect and hold the displayed literature in place. Two sheet metal flaps on the bottom edge of the display unit prevents the displayed literature from falling out.

The supports are coupled using the 4 clamps at the back of the display unit available in grey color.

Each clamp consists of an element that contains the high-tech polymer support lock hook, a threaded metal insert and a zinc-plated steel screw whose head is inserted in a high-tech polymer washer fitted on the front of the display unit which is entirely covered by the displayed literature, concealing the coupling system.

# Codes: 5195/92-E

Description: Leaflets holder with inclined supports for stanchion code 1670-GAN, 1670-GABL, 1670-IGAN, 1670-IGABL.

Inclined support for A4 formats made from silver grey epoxy powder-coated steel, fixed by a zinc-plated steel M8 screw and a chrome-plated steel spacer to the silver grey painted high-tech polymer coupling fixture that slots into the top of the stanchion (code 1670-GAN, 1670-GABL, 1670-IGAN, 1670-IGABL).

Leaflet holder made from silver grey epoxy-powder coated steel sheet with a slot-in internal pocket divider. The holder is 40 mm long.


The supports are coupled using the 4 clamps at the back of the display unit available in grey color.

Each clamp consists of an element that contains the high-tech polymer support lock hook, a threaded metal insert and a zinc-plated steel screw whose head is inserted in a high-tech polymer washer fitted on the front of the display unit which is entirely covered by the displayed literature, concealing the coupling system.



1675-XX XX = variante colore







Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures are purely as an indication.

# Codes: 5100/88-E, 5101/88-E, 5104/88-E, 5105/88-E, 5108/89-E, 5109/89-E 5100/88-EB, 5101/88-EB, 5104/88-EB, 5105/88-EB, 5108/89-EB, 5109/89-EB

Description: display units with vertical supports for stanchion code 1670-GAN, 1670-GABL, 1670-IGAN, 1670-IGABL.


Vertical supports for A4/A5 or A3 formats which can be used double-faced, made from silver grev epoxy powder-coated steel, fixed by a zinc-plated steel M8 screw and a chrome-plated steel spacer to the silver grey painted high-tech polymer coupling fixture that slots into the top of the stanchion (code 1670-GAN, 1670-GABL, 1670-IGAN, 1670-IGABL).

Display units made from silver-grey epoxy-powder coated steel sheet, with a concave curved shape, folded at the sides to form two side guides inside which a sheet of flexible and transparent PET is slotted to protect and hold the displayed literature in place. Two sheet metal flaps on the bottom edge of the display unit prevents the displayed literature from falling out.

The supports are coupled using the 4 clamps at the back of the display unit available in grey color.

Each clamp consists of an element that contains the high-tech polymer support lock hook, a threaded metal insert and a zinc-plated steel screw whose head is

inserted in a high-tech polymer washer fitted on the front of the display unit which is entirely covered by the displayed literature, concealing the coupling system.



Description: leaflets holder with vertical supports for stanchion code 1670-GAN, 1670-GABL, 1670-IGAN, 1670-IGABL.


Vertical support for A4 formats which can be used double-faced, made from silver grey epoxy powder-coated steel, fixed by a zinc-plated steel M8 screw and a chrome-plated steel spacer to the silver grey painted high-tech polymer coupling fixture that slots into the top of the stanchion (code 1670-GAN, 1670-GABL, 1670-IGAN, 1670-IGABL).

Leaflet holder made from silver grey epoxy-powder coated steel sheet with a slot-in internal pocket divider. The holder is 40 mm long.

The supports are coupled using the 4 clamps at the back of the display unit available in grey color.

Each clamp consists of an element that contains the high-tech polymer support lock hook, a threaded metal insert and a zinc-plated steel screw whose head is

inserted in a high-tech polymer washer fitted on the front of the display unit which is entirely covered by the displayed literature, concealing the coupling system.



Curvo





Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures are purely as an indication.







Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures are purely as an indication.