

SPECIFICATION


Range: **KOALA-T**

Design: **Michele De Lucchi with Sezgin Aksu**

Codes: 5100-T, 5101-T, 5104-T, 5105-T, 5108-T, 5109-T, 5113-T, 5115-T, 5195-T, 5197-T, 5180, 5160-BO, 5160-GA, 5161-BO, 5161-GA, 5166-BO, 5166-GA, 5158-BO, 5158-GA, 5159-BO, 5159-GA, 5170, 5181-BO, 5181-GA, 5172-TBO


Codes: **5100-T, 5101-T, 5104-T, 5105-T, 5108-T, 5109-T, 5113-T**

Description: display units in transparent UV-resistant methacrylate, U-shaped, with envelope type opening. The steel cables are coupled using the 4 clamps at the sides of the display unit available in the standard colour - grey; other colour - white is available on demand (code 5172-TBO). Each clamp consists of an element that contains the high-tech polymer cable lock hook, a threaded metal insert and a zinc-plated steel screw whose head is inserted in a high-tech polymer washer fitted on the front of the display unit. The two upper clamps are fitted with a small lever making it easy to open and close the display and decide from which side to perform this operation. The lever can be mounted in two different positions on the clamp, so the display unit can be opened from the front or the back as required, making it easier to insert or replace the literature on display.




Code: **5115-T**

Description: display units in transparent UV-resistant methacrylate, U-shaped, with envelope type opening. The steel cables are coupled using the 4 clamps at the sides of the display unit available in the standard colour - grey; other colour - white is available on demand (code 5172-TBO). Each clamp consists of an element that contains the high-tech polymer cable lock hook, a threaded metal insert and a zinc-plated steel screw whose head is inserted in a high-tech polymer washer fitted on the front of the display unit. The four upper clamps are fitted with a small lever making it easy to open and close the display and decide from which side to perform this operation. The lever can be mounted in two different positions on the clamp, so the display unit can be opened from the front or the back as required, making it easier to insert or replace the literature on display.




Codes: **5195-T, 5197-T**

Description: brochure racks made in transparent UV-resistant methacrylate fitted with slot-in dividers inside the pocket. The holder is 27 mm long. The steel cables are coupled using the 4 clamps at the sides of the brochure rack available in the standard colour - grey; other colour - white is available on demand (code 5172-TBO). Each clamp consists of an element that contains the high-tech polymer cable lock hook, a threaded metal insert and a zinc-plated steel screw whose head is inserted in a high-tech polymer washer fitted on the front of the brochure rack.



Codes: **5160-GA, 5160-BO**


Description: pair of supports for wall mounting of elliptic tubes (code 5180) made from silver grey or matt white epoxy-powder coated steel sheet.



5160-GA, 5160-BO

Codes: **5161-GA, 5161-BO**


Description: pair of supports for floor/ceiling mounting of elliptic tubes (code 5180) made from silver grey or matt white epoxy-powder coated steel sheet.



5161-GA, 5161-BO

Codes: **5166-GA, 5166-BO**


Description: pair of supports that can be hooked to the elliptical tubes (code 5180) with housing for the spherical terminals connected to the steel cables (codes 5170, 5179). They are made from silver grey or matt white epoxy-powder coated steel sheet.



5166-GA, 5166-BO

Code: **5180**

Description: pair of tubes made in chrome-plated steel, 15 x 30 mm elliptic section and 1000 mm long, both fitted with end caps and coupling in grey high-tech polymer for their linear connection.



5180

Codes: **5158-GA, 5158-BO**

Description: pair of 1-way supports to wall-mount the spherical terminals connected to the steel cables (codes 5170).

They are made from silver grey or matt white epoxy-powder coated steel sheet.

Codes: **5159-GA, 5159-BO**

Description: pair of 1-way supports to floor/ceiling-mount the spherical terminals connected to the steel cables (codes 5170, 5181).

They are made from silver grey or matt white epoxy-powder coated steel sheet.

Code: **5170**

Description: pair of galvanized steel cables, each 4 m long with a security lead seal on the top terminal (the cable can be cut to size). The tension rods in nickel-plated metal have spherical heads. Each tension rod consists of two terminals, one fixed and one adjustable, which in turn is composed of 3 different threaded components (a spherical terminal, a central coupling element and a cable attachment element).

Each terminal has two screws to fasten the cable.

Maximum capacity 10 Kg.

Codes: **5181-GA, 5181-BO**

Description: \varnothing 42 mm, 160 mm tall steel weight, painted with silver grey or matt white epoxy-powder coating, secured by a nickel-plated metal coupling screw to the 4 metre long galvanized steel cable with a terminal security lead seal (the cable can be cut to size). The cable is fastened by 2 steel screws to the nickel-plated metal terminal fixture with a spherical head to insert it inside the supports. Maximum capacity 10 Kg. The weight can only be used with compositions of display units up to 50 x 70 cm in size.

Code: **5172-TBO**

Description: set of 4 clamps for Koala cable display units and brochure racks, available in the following colours: white (all display units include 4 standard grey clamps). Each clamp consists of an element that contains the high-tech polymer cable lock hook, a threaded metal insert and a zinc-plated steel screw whose head is inserted in a high-tech polymer washer fitted on the front of the display unit.


Optional item.




5158-GA, 5158-BO




5159-GA, 5159-BO



5170



5181-GA, 5181-BO



5172-TBO

