



SOCRATE

INTERIORS (



SOCRATE: detail of the transparent glass shelf



SOCRATE: detail of the steel shelf



SOCRATE: detail of the sliding closing

The aesthetic virtues of the SOCRATE system

- A clean, streamlined design and understated elegance lend the Socrate system the unique ability to fit beautifully into any type of setting in historic residences or modern new constructions. The sleek steel uprights afford a visually lightweight and extremely elegant appearance to the bookshelves. An example of perfect integration between form and function is achieved by the design of the horizontal and inclined steel rods that represent the stylistic character of the product as well as allow the shelves to be combined, without the use of additional supports.

- The Socrate system is an "open system" since it can evolve and transform, expand or change after its original arrangement as needed to fit the space. Rooms be decorated starting with its simple structure - adding the most appropriate accessories, changing up the finishes or details, to keep the look fresh and new. The spaces can be renovated as needed without having to change the basic elements.

- Using the Socrate system, it is possible to create complete furnishings, from bookshelves and display cases to retail furnishings, etc., while maintaining a certain stylistic uniformity.

- The systems are completed by a large number of accessories that can often be added as needed to either Socrate and Socrate Parete. Both Socrate lines share the same look and the same finishes, so they can be used together in the same room, without creating mismatched style. Another effective decorating idea is to pair Socrate with other furnishings in the room.

- The upright of the Socrate line is also available in chrome plated steel version to add even more elegance to the most sophisticated spaces or executive offices or reception areas.

Functional features

- The standardization of the product is expressed through the ability to combine several units, the ease of assembly and disassembly, and the interchangeability of the components, all features typical of industrialproduced products and designed and developed exactly for this purpose.

- Stability and durability are guaranteed by the skilful method of workmanship of the metal. The technical details have been studied to meet the safety requirements set down by current law - rounded edges, accidentproof end caps, folded metal sheet, superior hygiene and resistance to flame, etc.

- The product has been submitted to a number of stringent quality tests (UNI/EN)

- The shelves can be moved just about anywhere along the upright, thereby creating shelf space of variable heights, without wasting space.

- Several types of shelves are available, including shelves in scratch-proof micro-perforated steel sheet. The unusual micro-perforated texture and the powder-coated finish ensure exceptional durability against abrasion caused by sliding out books and moving racks.

- Durable powder-coated finish in mat white and metal grey for the uprights and metal grey, matt black and matt white for the shelves and accessories. Note the special scratch-proof characteristic of the finish.

Technical information of the Socrate system

SHELVES:

96 cm shelf accommodates about 35 books
56 cm shelf accommodates about 20 books
96 cm shelf accommodates about 11 racks (8.5 cm wide)
56 cm shelf accommodates about 6 racks (8.5 cm wide)



SOCRATE



SOCRATE: detail of micro-perforated steel shelves



SOCRATE



3/16



SOCRATE: detail of the book holder

Accessories

Socrate comes complete with a variety of accessories and can be easily incorporated with the SOCRATE PARETE system, also by Caimi Brevetti.

- The wide range of accessories produced by Caimi Brevetti can easily supply complete systems for any type of settings. The general product catalogue includes accessory articles such as waste paper baskets, floor-standing and wall-mounted coat racks, umbrella stands, display cases, computer stands, tables, chairs in individual and multiple seating configurations, office accessories, wall clocks, etc

- Ease of functional transformation and application of accessory elements



SOCRATE: detail of the magazine rack



SOCRATE: detail of the trasparent feet

- The SOCRATE "Open" system is like a "mechanical game" that can subsequently evolve, expand or change the spaces created. One of the most interesting features of the product is its ability to increase the furnishings as needed and simply and practically change the layout of a room.

- The same system makes it possible to create bookshelves as well as any number of other decorating accessories, such as displays for new literary items and promotions, elements that can meet current needs of "on-line" consultation of computerized files or over the Internet, all the while maintaining a certain stylistic uniformity to the room.

The SOCRATE system is frequently supplied for library furnishing uses because of its functional characteristics and because of its ability to expand in direct proportion to the expansion or changes in the library holdings.

Dimensions of the SOCRATE system

Depths: available in two sizes of 35 and 45 cm


Heights of the uprights for D45 cm: 200 - 162 - 86 - 47 cm Heights of the uprights for D35 cm: 238 - 200 - 162 - 86 cm


Length: First unit L=100 or 60 cm Following units L=96.5 and 56.5 cm


Upright Color:


Mat white, matt black , metal grey or chrome-plated

Steel sheet shelf Color: Glass shelf Color: Metal grey or matt white Transparent










£‡




Load-bearing structures


Note that the elements necessary to ensure the stability of the Socrate units are: at least two uprights, at least two shelves and one or more load-bearing structures.

The minimum number of load-bearing elements to use for the various heights of the uprights are shown in table 1.

Remember that only the elements described in this paragraph are considered load-bearing elements, namely: bracing crosses, backs in steel rods or back panels in steel sheet.

Load-bearing elements are the articles listed in table 1






Г

Т

90 90 3400-XX 3400-C	Uprights	97 97 97 98 4200-XX 4600-C 4600-C 4800-XX 4800-C 4800-XX 4500-XX 4500-XX 4500-XX
	Materials:	welded, powder-coated steel rods
	Colors:	
		chrome-plated steel
	Features:	uprights consist of three Ø7 mm steel rods line up at the front and three identical rods in the back, held together by pairs of diagonal rods Ø6 mm set 19 cm apart. The uprights have feet and tips in a high-tech polymer with threaded insert in zinc plated steel, high-tech polymer protective caps.
	Notes:	the distance between the vertical rods is 5 mm and allows
		M4 screws to pass through to fasten accessories, bracing
		crosses, etc


TABLE 1



Minimum and maximum number of load bearing elements for a complete module.




4986/2	Feet and end caps for uprights:
	Dimensions: Ø5 cm
	Ø3 cm
	Materials: end caps in high-tech polymer
	- threaded insert and M10 zinc plated steel screws
	- support foot in high-tech polymer
	- upper protection caps in grey high-tech polymer
Ø5 cm Ø3 cm	
	<u>Colors:</u> grey
4986/2-N	Feet and end caps for uprights:
	Dimensions: Ø3 cm
<u> </u>	<u>Materials:</u> - end caps in high-tech polymer
រុបុុប្ ព្រំកាត	- threaded insert and M10 zinc plated steel screws
	- support foot in high-tech polymer
	- upper protection caps in black high-tech polymer
Ø3 cm	<u>Colors</u> black
93 cm	
4986/2-T	Feet and end caps for uprights:
	Dimensions: Ø3 cm
	<u>Materials:</u> - end caps in translucent high-tech polymer
រុបុុប្ ភាពក	- threaded insert and M10 zinc plated steel screws
	- load bearing foot in chrome-plated metal sheathed
	high-tech polymer
Ø3 cm	- upper protection caps in translucent high-tech polymer
20 om	<u>Colors:</u> transparent
2910-XX See table 1	Bracing crosses:
2960-XX	<u>Dimensions:</u> L96 cm x Ø8 mm (cod.2910-XX)
\backslash	L56 cm x Ø8 mm (cod.2960-XX)
	<u>Materials:</u> 2 flattened Ø8 mm steel rods with a hole at each end and
	at the centre.
\backslash	Powder-coated or chrome-plated finish
XX-Color option:	<u>Colors:</u> matt white, metal grey, matt black or chrome-plated finis
XX=Color option: GM = Metal Grey	Assembly:fasten together and to the uprights with M4 screws, wing
BO = Matt White	nuts and washers
N = Matt Black	Notes: see table 1
C = Chrome-plated	
2722 VV	
2722-XX See table 1 2725-XX	Backs:
2722-XX See table 1 2725-XX	Backs: Dimensions: L96 x H15 cm (cod.2722-XX)
	Dimensions:L96 x H15 cm (cod.2722-XX)
	Dimensions: L96 x H15 cm (cod.2722-XX) L56 x H15 cm (cod.2725-XX)
	<u>Dimensions:</u> L96 x H15 cm (cod.2722-XX) L56 x H15 cm (cod.2725-XX) <u>Materials:</u> 2 flattened Ø8 mm steel rods with a hole at each end,
	Dimensions:L96 x H15 cm (cod.2722-XX)L56 x H15 cm (cod.2725-XX)Materials:2 flattened Ø8 mm steel rods with a hole at each end, welded together with a third shaped rod, powder-coated or chrome-plated finish
2725-XX XX=Color option:	Dimensions:L96 x H15 cm (cod.2722-XX)L56 x H15 cm (cod.2725-XX)Materials:2 flattened Ø8 mm steel rods with a hole at each end, welded together with a third shaped rod, powder-coated or chrome-plated finishColors:matt white, metal grey, matt black or chrome-plated
2725-XX XX=Color option: GM = Metal Grey	Dimensions:L96 x H15 cm (cod.2722-XX)L56 x H15 cm (cod.2725-XX)Materials:2 flattened Ø8 mm steel rods with a hole at each end, welded together with a third shaped rod, powder-coated or chrome-plated finishColors:matt white, metal grey, matt black or chrome-plated fasten onto the upright with M4 screws, wing nuts and
2725-XX XX=Color option:	Dimensions:L96 x H15 cm (cod.2722-XX)L56 x H15 cm (cod.2725-XX)Materials:2 flattened Ø8 mm steel rods with a hole at each end, welded together with a third shaped rod, powder-coated or chrome-plated finishColors:matt white, metal grey, matt black or chrome-plated



SOCRATE	
The second se	

63010-XX 63060-XX	Micro-perforated steel sheet shelves with raised back edge: <u>Dimensions:</u> SOCRATE 35 L96 x D33,5 cm (cod.63010-XX) L56 x D33,5 cm (cod.63060-XX)
	<u>Materials:</u> powder-coated micro-perforated steel sheet, rounded 22,5 mm edges with frontal folded edge for added stiffnes: The back edge is raised to hold the books and has a botton rail to accommodate the sliding bookends
	<u>Colors:</u> metal grey, mat black or matt white
XX=Color option:	Assembly: fasten directly onto the horizontal or inclined rods of the
GM = Metal Grey N = Matt Black BO = Matt White	uprights <u>Notes:</u> the shelves can be assembled straight or inclined
63012-XX	Steel sheet shelves with raised back edge:
63062-XX	<u>Dimensions:</u> SOCRATE 35 L96 x D33,5 cm (cod.63012-XX) L56 x D33,5 cm (cod.63062-XX)
	<u>Materials:</u> powder-coated steel sheet, rounded 22,5 mm edges with frontal folded edge for added stiffness.
	The back edge is raised to hold the books and has a botton
	rail to accommodate the sliding bookends <u>Colors:</u> metal grey, matt black or matt white
XX=Color option:	Assembly:fasten directly onto the horizontal or inclined rods of the
GM = Metal Grey	uprights
N = Matt Black BO = Matt White	<u>Notes:</u> the shelves can be assembled straight or inclined
3973-GM	Reinforcement for metal TOP shelves positioned at a height of 100 cm
3974-GM	or lower: <u>Dimensions:</u> L 96 cm (cod.3973-GM)
	<u>Dimensions:</u> L 96 cm (cod.3973-GM) L 56 cm (cod.3974-GM)
	<u>Materials:</u> powder-coated steel tubular and end caps, threaded zinc-plated bars
	<u>Colors:</u> metal grey
	<u>Assembly:</u> under, at the rounded edge of the top shelves in steel
3014-XX 4014-XX 3064-XX 4064-XX	Transparent glass shelves:
JUU 1 -AA 4U04-AA	<u>Dimensions:</u> SOCRATE 35 L96 x D33,5 cm (cod.3014-XX)
\land	L56 x D33,5 cm (cod.3064-XX) SOCRATE 45 L96 x D43,5 cm (cod.4014-XX)
</td <td>L56 x D43,5 cm (cod.4064-XX)</td>	L56 x D43,5 cm (cod.4064-XX)
\checkmark	Materials: shelf in tempered float glass, 8 mm thick
XX= supports Color option: N = Black	- shelf supports in black, grey or white high-tech polymer
GR = Grey BO = White	<u>Assembly:</u> fasten directly onto the horizontal rods of the uprights with high-tech polymer shelf supports

2678-XXXX



Steel sheet sliding closings with lock:

Dimensions:	_L96 x H36 cm
Materials:	sliding closings in 1 mm powder-coated steel sheet,
	with 2 Ø25 mm holes at each side for moving the closing.
	Nickel-plated lock.
	- Master key
	- slides in 1 mm powder-coated steel sheet, interior in
	high-tech polymer
Colors:	metal grey or matt white closings
	 metal grey, matt black or matt white slides
Assembly:	_fasten onto the vertical rods of the uprights with screws.
	Closings fit into the slides
Notes:	_to be used only with steel shelves

XXXX=Color option:

GMGM = Metal Grey closings, Metal Grey slides GMBO = Metal Grey closings, Matt White slides GMN = Metal Grey closings, Matt Black slides BOGM = Matt White closings, Metal Grey slides BOBO = Matt White closings, Matt White slides BON = Matt White closings, Matt Black slides

2660-XXXX Steel sheet sliding closings: Dimensions: L96 x H36 cm Materials: - sliding closings in 1 mm powder-coated steel sheet, with 2 Ø25 mm holes at each side for moving the closing - slides in 1 mm powder-coated steel sheet, interior in high-tech polymer - metal grey, matt white, matt black, red, or turquoise Colors: closings - metal grey or matt white slides fasten onto the vertical rods of the uprights with screws. Assembly: Closings fit into the slides Notes: to be used only with steel shelves

XXXX=Color option:

GMGM = Metal Grey closings, Metal Grey slides GMBO = Metal Grey closings, Matt White slides GMN = Metal Grey closings, Matt Black slides BOGM = Matt White closings, Metal Grey slides BOBO = Matt White closings, Matt White slides BON = Matt Black closings, Metal Grey slides NBO = Matt Black closings, Matt White slides NN = Matt Black closings, Matt Black slides

XXXX=Color option: RGM = Red closings (RAL 3002), Metal Grey slides RBO = Red closings (RAL 3002), Matt White slides RN = Red closings (RAL 3002), Matt Black slides TUGM = Turquoise closings (RAL 5018), Metal Grey slides TUBO = Turquoise closings (RAL 5018), Matt White slides TUN = Turquoise closings (RAL 5018), Matt Black slides


2660-LXX	Sliding closings in wood finish: Dimensions: L96 x H36 cm		
0	Materials:	siding closings in aluminum plated MDF that are wood veneered, with 2 Ø25 mm holes at each side for moving the closing	
		 slides in 1 mm powder-coated steel sheet, interior in high-tech polymer 	
	<u>Colors:</u>	closings in oak veneered on one side and walnut veneered on other side	
		- metal grey, matt black or matt white slides	
	Assembly:	fasten onto the vertical rods of the uprights with screws.	
		Closings fit into the slides	
	Notes:	_to be used only with steel shelves	
VVVV-Color options			

XXXX=Color option:

LGM = Oak veneered / Walnut veneered closings, Metal Grey slides

LBO = Oak veneered / Walnut veneered closings, Matt White slides

LN = Oak veneered / Walnut veneered closings, Matt Black slides




2675-XX	Transparent glass sliding closings with lock:		
XX= slides Color option: GM = Metal Grey BO = Matt White	Dimensions:	L96 x H36 cm	
	Materials:	sliding closings in tempered 5 mm float glass, with 2	
		Ø25 mm holes at each side for moving the closing. Nickel- plated metal lock.	
		Master key	
		- slides in 1 mm powder-coated steel sheet, interior in	
		high-tech polymer	
	Colors:	transparent closings	
		- metal grey, matt black or matt white slides	
	Assembly:	fasten onto the vertical rods of the uprights with screws.	
		Closings fit into the slides	
N = Matt Balck	Notes:	to be used only with steel shelves	

1

T

Г

1	1
2664-XX	Transparent glass sliding closings:
See table 2	Dimensions: L96 x H36 cm
0	<u>Materiali:</u> - sliding closings in tempered 5 mm float glass,
	with 2 Ø25 mm holes at each side for moving the closing
	- slides in 1 mm powder-coated steel sheet, interior in
	high-tech polymer
	<u>Colors:</u> - transparent closings
	- metal grey, matt black or matt white slides
V	Assembly: fasten onto the vertical rods of the uprights with screws.
XX= slides Color option:	Closings fit into the slides
GM = Metal Grey BO = Matt White	Notes:art. 2666 closings are only mounted if the upper surface is
N = Matt Balck	in glass
	Notes:to be used only with steel shelves
2447 XX	
2667-XX	Acid-treated glass sliding closings:
	Dimensions: L96 x H36 cm
_	<u>Materials:</u> - sliding closings in acid treated tempered 5 mm float glass,
	with 2 Ø25 mm holes at each side for moving the closing
	- slides in 1 mm powder-coated steel sheet, interior in
	high-tech polymer Colors: - Acid-treated closings
0	- metal grey, matt black or matt white slides
	Assembly: fasten onto the vertical rods of the uprights with screws.
	Closings fit into the slides
XX= slides Color option:	Notes:art. 2672 closings are only mounted if the upper surface is
GM = Metal Grey BO = Matt White	in glass
N = Matt Balck	Notes:to be used only with steel shelves
1	1
2659	Locks for glass closings:
	<u>Materials:</u> steel
0	<u>Colors:</u> chrome-plated
	Assembly: fastens to sliding glass closings
Contraction of the second seco	Notes:2 keys provided standard
E Contraction of the second	To use only with transparent sliding glass closings
ľ	(art. 2664)
2679	Three-panels display, in methacrylate:
Star I	Dimensions: L96 x H43,5 cm
	<u>Materials:</u> - satin finish methacrylate displays, 3 mm thick, front
	containment edge D22 x H45 mm
	- chrome-plated tubular steel, Ø20 mm
	- 2 mm metal grey powder-coated steel side supports
Use only with shelves:	<u>Colors:</u> translucent
3010/3012	Assembly:fasten onto the vertical rods of the upright with M4
4012 63010/63012	SCrews




1

T

Г

2812-XX 2862-XX XX=Color option: GM = Metal Grey BO = Matt White N = Matt Black (only depth 35)	Clothes rack/ Dimensions: <u>Materials:</u> <u>Assembly:</u>	 foot rest: SOCRATE 35 L96 x D33,5 cm (cod.2812-XX) SOCRATE 45 L96 x D43,5 cm (cod.2862-XX) - chrome-plated Ø20 mm tubular steel - side brackets in 1 mm powder-coated steel sheet in metal grey, matt blacl or matt white _ fastens directly onto the horizontal rods of the upright with M8 screws
2746-XX XX=Color option: GM = Metal Grey BO = Matt White N - Matt Black	Sign banner: Dimensions: Materials: Colors: Assembly:	L12 x H12 cm folded 1 mm powder-coated steel sheet metal grey, matt black or matt white fasten onto the vertical rods of the uprights with M4 screws, wing nuts and washers
6A52 Use only with shelves: 3010/3060/3012/3062/3910/3960 4012/4062 63010/63060/63012/63062	Shelf marker: Dimensions: Materials: Assembly: Notes:	L12 x H2,3 cm transparent polymer directly to the edge of the steel shelf with a double sided tape code refers to 10 pieces
6A2272 6A2274	Sign bands: Dimensions: <u>Materials:</u> Colors: Assembly:	L96 x H10 cm (cod.6A2272) L56 x H10 cm (cod.6A2274) _powder-coated steel sheet with upper and lower sides folded _metal grey, matt black or matt white _hooked onto special steel supports (cod. 6A2278)
6A2278	Support for si Materials: Colors: Assembly: Notes:	gn bands: folded powder-coated steel sheet metal grey, matt black or matt white fasten onto the vertical rods of the uprights with M4 screws, wing nuts and washers use only with sign bands cod. 6A2272 e 6A2274
6A2780	Book holde: Dimensions: Materials: Colors: Assembly:	D24 x H28 cm folded chrome-plated steel rods, with a high-tech polymer element to allow them to slide along the track inserted below the metal shelves. chrome-plated hooked into the track inserted below the metal shelves cod. 63010, 63060, 63012, 63062

SOCRATE





CAIMI BREVETTI S.p.A. - Via Brodolini, 25/27 - 20834 Nova Milanese - MB - Italy - tel. 0362 49101 Ufficio Vendite Italia: tel. 0362 491001 - fax 0362 491060 - e-mail: vendite.italia@caimi.com Export Department: tel. (+39) 0362 491002 - fax (+39) 0362 491061 - e-mail: export.dept@caimi.com www.caimi.com

Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures and Colors are purely as an indication.

