

SPECIFICATION

Range: **SNOWFIX**
Design: **Caimi Lab**

“Snowsound Technology” sound-absorbing element fixed to the wall.

Panel description:

Both faces with convex section 36 mm thick, consisting of an internal padding in variable density polyester fiber. The density decreases moving towards the heart of the panel, which is covered on both sides with Trevira CS® polyester fabric, solidly applied to the padding. The panel is double sided, with same characteristics on both sides. It is characterized by the rigid edge obtained by the manufacturing process itself, without any supporting and/or stiffening frame.

The panel has **Euroclass B-s2, d0** fire reaction.




The panel is **Greenguard Gold** certified, which validates its low VOC emission and its contribution to the quality of the indoor environment.

The panel is **100% recyclable** and it does not contain felts or other organic materials that are hardly recyclable.

The panel has been tested in reverberation chamber according to UNI EN ISO 354 and obtained “**Acoustic Absorption Class A**”, in accordance with UNI EN ISO 11654.

Panels dimensions:	75x44 cm	59x59 cm	119x119 cm
	119x44 cm	75x59 cm	119x159 cm
	139x44 cm	119x59 cm	ø 59 cm
	159x44 cm	139x59 cm	ø 79 cm
	179x44 cm	159x59 cm	ø 119 cm
		179x59 cm	


All formats can be used both vertically and horizontally.



Support description: SNOWFIX EASY


Painted zamak bracket to be fixed directly to the panel using 4x30 self-tapping screws. The bracket has a notched slot for screw/nail attachment.

1 pc for panel with dimensions:



- 44 x 75
- 44 x 119
- 44 x 139
- 44 x 159
- 44 x 179
- 59 x 59
- 59 x 75
- 59 x 119
- 59 x 139
- 59 x 159
- 59 x 179

2 pcs for panel with dimensions:



- 44 x 75
- 44 x 119
- 44 x 139
- 44 x 159
- 44 x 179
- 59 x 75
- 59 x 119
- 59 x 139
- 59 x 159
- 59 x 179
- 119 x 119
- 119 x 159

Front




Back



Support description: SNOWFIX SMART


Wall fixings, each consisting of a galvanised steel plate and two technopolymer spacers. These components are fixed on the back of the panel by means of self-tapping screws and the plate has a notched slot to be fixed to the wall by nails or screws.

1 pc for panel with dimensions:




- 44 x 75
- 44 x 119
- 44 x 139
- 44 x 159
- 44 x 179
- 59 x 59
- 59 x 75
- 59 x 119
- 59 x 139
- 59 x 159
- 59 x 179

2 pcs for panel with dimensions:





- 44 x 75
- 44 x 119
- 44 x 139
- 44 x 159
- 44 x 179
- 59 x 75
- 59 x 119
- 59 x 139
- 59 x 159
- 59 x 179
- 119 x 119
- 119 x 159


1 pc for panel with dimensions:



- ø 59
- ø 79
- ø 119



Available colours:



* ATTENTION: dimensions 139x59 cm and 179x59 cm available only for colors White (0001) - Light Blue (6046) - Silver Grey (8004) - Dark Grey (8007)

* ATTENTION: dimensions \varnothing 59 cm, \varnothing 79 cm and \varnothing 119 cm available only for colors White (0001) - Dark Grey (8007)